



Old-fashioned car: two sides

Finished: 3.75 in long x 1.75 in wide x 1.75 in tall.

US LETTER - PORTRAIT - Print at Actual size / 100%. Turn off Fit to page.



SIDE B



ASSEMBLED MODEL




Illustration of these paper parts.

Make a plain-paper test before using cardstock.

Created by the Restoring What Was Lost History Workshop

Stylized early vehicles for scenery; approximate scale, not measured replicas.

KEEP THESE SIDES TOGETHER

- The matching roof strip is on page 2.
- Score the blue folds before cutting.
- Keep every pale glue tab attached.
- Fold tabs behind the printed side.
- Both printed faces stay outside.
- The wheels stay flat on the sides.
- The bottom of the model stays open.

1 INCH

Check with a ruler


Old-fashioned car: roof strip

Finished: 3.75 in long x 1.75 in wide x 1.75 in tall.

US LETTER - PORTRAIT - Print at Actual size / 100%. Turn off Fit to page.

CUT SCORE + FOLD GLUE TABS 2 / 4

REAR



Rear panel

Rear deck

Cab back

Roof

Windshield

Hood

Front grille

FRONT

ASSEMBLY

1. Bend the strip to match the side outline.
 2. Fold the side tabs behind the pictures.
 3. Start by gluing the roof onto its tabs.
 4. Work along the windshield and hood.
 5. Follow the back and close both ends.
 6. Glue the other side on in the same way.
- Use the illustration to match the shapes.

ASSEMBLED MODEL




Illustration of the finished paper shell.

Optional brace



Fold ends up; glue inside the two sides.

The optional brace holds the sides apart.

Use medium cardstock and a thin layer of glue.
Allow the shell to dry before adding scenery.

1 INCH

Check with a ruler


Old flatbed truck: two sides

Finished: 5.42 in long x 2 in wide x 1.92 in tall.


US LETTER - PORTRAIT - Print at Actual size / 100%. Turn off Fit to page.

CUT SCORE + FOLD GLUE TABS


SIDE A



SIDE B



ASSEMBLED MODEL



KEEP THESE SIDES TOGETHER

- The matching roof strip is on page 4.
- Score the blue folds before cutting.
- Keep every pale glue tab attached.
- Fold tabs behind the printed side.
- Both printed faces stay outside.
- The wheels stay flat on the sides.
- The bottom of the model stays open.

Illustration of these paper parts.

Make a plain-paper test before using cardstock.



Check with a ruler


Old flatbed truck: roof strip

Finished: 5.42 in long x 2 in wide x 1.92 in tall.

US LETTER - PORTRAIT - Print at Actual size / 100%. Turn off Fit to page.

CUT SCORE + FOLD GLUE TABS

REAR



Rear panel

Truck bed

Cab back

Roof

Windshield

Hood

Front grille

FRONT

ASSEMBLY

1. Bend the strip to match the side outline.
 2. Fold the side tabs behind the pictures.
 3. Start by gluing the roof onto its tabs.
 4. Work along the windshield and hood.
 5. Follow the back and close both ends.
 6. Glue the other side on in the same way.
- Use the illustration to match the shapes.

ASSEMBLED MODEL




Illustration of the finished paper shell.

Optional brace



Fold ends up; glue inside the two sides.

The optional brace holds the sides apart.

Use medium cardstock and a thin layer of glue.
Allow the shell to dry before adding scenery.

1 INCH

Check with a ruler